




Wiring Diagram C57261  
 Schematic N/A  
 Generator Parts  
 Unassembled C57275  
 Complete Unit  
 Part # C57276

\*\*\*\*\*  
 REPAIR  
 PARTS LIST  
 #493  
 \*\*\*\*\*

Size 2200 Watts  
 Drive Direct  
 Type Two Pole  
 Unit Model # FD202BH-1E/A



<u>DESCRIPTION</u>	<u>PART #</u>	<u>QTY.</u>	<u>DESCRIPTION</u>	<u>PART #</u>	<u>QTY.</u>
Armature	54128-1	1	Control Box Assy.	57274	1
Armature Bearing	46911	1	Cover Assy.	51991	1
Armature Thru Bolt	23197-11	1	Front Panel (Bare)	57267	1
			Rear Panel (Bare)	51981	1
Fan Assy.	23727	1	Receptacle	48323	1
Fan Washer	23558	1	Receptacle	51654	3
Fan Lockwasher	40552	1	Switch	52029	1
Fan Nut	23605	1	Start Solenoid	24061	1
Field Coil	54724	1	Conserver Assy.		
Field Coil	54724-1	1	(Complete)	51680	1
			Module	49521	1
Shell & Bracket Assy.	23798	1	Transformer	40450	1
Pole Shoe	23806	2	Electro Magnet	44889	1
Pole Shoe Retainer	23807	2	Formed Bracket	49444	1
Engine Adaptor Brkt.	23720	1	Lever (Throttle)	49443	1
Adaptor Brkt. Screw	40082	4	Resistor	52641	1
End Cover Assy.	24374	1	Switch	24238	1
Brush Rack Assy.	51907	1			
(Complete)	& -1	1			
A. C. Brush	23607	4			
A. C. Brush Holder	23500	4			
D. C. Brush	41393	2			
D. C. Brush Holder	41744	1			
& Plate Assy.	& -1	1			
A. C. Condenser	41221	1			
D. C. Condenser	41180	1			
Cradle	54770	1			
Shock Mount	23623	1			
Shock Mounts	20191	2			

ENGINE MAKE Briggs & Stratton MODEL # 130232 PART # 53655



ALL DIMENSIONS GIVEN IN INCHES — WORK TO DIMENSIONS — DO NOT SCALE — SAMPLES MUST BE APPROVED BY WINCHARGER ENGINEERING DEPT BEFORE PROCEEDING WITH PRODUCTION — TOLERANCES (UNLESS OTHERWISE SPECIFIED): FRACTIONS ± 1/64 DECIMALS ± .005 PUNCHED HOLES ± .004 — .000									
DRAWN BY	DATE	CHKD BY	DATE	APPR'D BY	DATE	SCALE			
MWU	11-21-73	<i>[Signature]</i>	2-22-74	<i>[Signature]</i>	2-22-74				
MATERIAL									
FINISH									
ASSY	B-57274								
MOOR	FD202BR-1E/A								
WIRING DIAGRAM									





- NOTES:
1. COLOR ADJACENT TO CONDUCTOR INDICATES COLOR OF INSULATION, WHERE NO COLOR IS INDICATED INSULATION IS BLACK.
  2. CONDUCTORS ARE SHOWN IN DASHED LINES WHEN THEY PASS THROUGH THE PANEL SURFACE ON WHICH THEY ARE DRAWN.
  3. USE SCHEMATIC B-52041.